

FIG.-1-
Prior Art




FIG.-2-
Prior Art




FIG.-3-
Prior Art




FIG. 4-
Prior Art




FIG.-5-
Prior Art




FIG.-6-




FIG.-7-




FIG.-8-


```

SendRoutingInfoArg ::= SEQUENCE {
    msIsdn
    cugCheckInfo
    numberOfForwarding
    interrogationType
    orInterrogation
    orCapability
    gsmcAddress
    callReferenceNumber
    forwardingReason
    basicServiceGroup
    networkSignalInfo
    camelInfo
    suppressionOfAnnouncement
    extensionContainer
    alertingPattern
    ccbsCall
    supportedCCBS-Phase
    additionalSignalInfo
    istSupportIndicator
    pre-payingSupported
    callDiversionsTreatmentIndica
    longFTN-Supported
    callingSubscriberNumber
}

```

[0]	ISDN-AddressString,	OPTIONAL,
[1]	CUG-CheckInfo	OPTIONAL,
[2]	NumberOfForwarding	OPTIONAL,
[3]	InterrogationType,	
[4]	NULL	OPTIONAL,
[5]	OR-Phase	OPTIONAL,
[6]	ISDN-AddressString,	OPTIONAL,
[7]	CallReferenceNumber	
[8]	ForwardingReason	OPTIONAL,
[9]	Ext-BasicServiceCode	OPTIONAL,
[10]	ExternalSignalInfo	OPTIONAL,
[11]	CamelInfo	OPTIONAL,
[12]	SuppressionOfAnnouncement	OPTIONAL,
[13]	ExtensionContainer	OPTIONAL,
[14]	AlertingPattern	OPTIONAL,
[15]	NULL	OPTIONAL,
[16]	SupportedCCBS-Phase	OPTIONAL,
[17]	Ext-ExternalSignalInfo	OPTIONAL,
[18]	IST-SupportIndicator	OPTIONAL,
[19]	NULL	OPTIONAL,
[20]	CallDiversionTreatmentIndicator	OPTIONAL,
[21]	NULL	OPTIONAL,
[22]	ISDN-AddressString	OPTIONAL

FIG.-9-




FIG.-10-